













CPCS Technical Test – Theory
Lifting Capacity Chart – A04B

Radius and Capacity

Liebherr 224 HC-L

m		m/kg	m/kg											
			15,0	18,0	21,0	24,0	27,0	30,0	35,0	40,0	45,0	50,0	55,0	60,0
60,0		3,5–22,5 12000	12000	12000	12000	10930	9260	7940	6290	5070	4140	3400	2800	2300
		3,5–23,7 12000	12000	12000	12000	11780	10010	8620	6880	5600	4620	3840	3200	
55,0		3,5–13,4 24000	20530	16040	12960	10730	9030	7690	6010	4760	3810	3050	54,4 m 2500	
		3,5–24,9 12000	12000	12000	12000	12000	10740	9270	7430	6080	5030	4200		
50,0		3,5–14,1 24000	22150	17340	14040	11650	9830	8400	6590	5260	4230	49,4 m 3500		
		3,5–26,1 12000	12000	12000	12000	12000	11470	9940	8020	6600	5500			
45,0		3,5–14,8 24000	23550	18490	15020	12500	10590	9080	7180	5770	44,4 m 4800			
		3,5–26,9 12000	12000	12000	12000	12000	11960	10410	8460	7000				
40,0		3,5–15,4 24000	24000	19460	15840	13200	11200	9620	7630	39,4 m 6300				
		3,5–27,8 12000	12000	12000	12000	12000	12000	10810	8700					
35,0		3,5–15,8 24000	24000	20130	16360	13620	11530	9880	34,4 m 8000					
														

Information provided is reproduced with kind permission of Liebherr (GB) Ltd. The data shown is correct at the time of issue and Liebherr retains the right to alter any specification without notice. For CPCS testing activities only and not to be used for operational activities. CPCS and its associate businesses make no representation on behalf of Liebherr (GB) Ltd.